



1420V



1405V



1430

Application

These neoprene or TPR caps seal off open cable ends. Caps with air valves retain a nominal air pressure of five to fifteen pounds. The adjustable stainless steel band clamps enable caps to be used effectively on cable .250-in. (6.35mm) to .500-in. (12.70mm) smaller than the cap's inside diameter. All caps are 4.0-in. (101.60mm) long.

Ordering Information & Specifications

Catalog Number	Part Number	Inside Diameter of Cap
With Air Valve		
1405V	F012995	.500" (12.77mm)
1407V	F013000	.750" (19.05mm)
1410V	F013010	1.00" (25.40mm)
1415V	F013020	1.50" (38.10mm)
1420V	F013030	2.00" (50.80mm)
1425V	F013040	2.50" (63.50mm)
1430V	F013050	3.00" (76.20mm)
Without Air Valve		
1405	F012895	.500" (12.77mm)
1407	F012900	.750" (19.05mm)
1410	F012910	1.00" (25.40mm)
1415	F012920	1.50" (38.10mm)
1420	F012930	2.00" (50.80mm)
1425	F012940	2.50" (63.50mm)
1430	F012950	3.00" (76.20mm)

Emerson Network Power.

The global leader in enabling business-critical continuity.

- AC Power
- Embedded Power
- Precision Cooling
- Connectivity
- Monitoring
- Racks & Integrated Cabinets
- DC Power
- **Outside Plant**
- Services
- Embedded Computing
- Power Switching & Controls
- Surge Protection

Emerson Network Power
Energy Systems
4350 Weaver Parkway, Warrenville, IL 60555
Toll Free: 800-800-1280 (USA and Canada)
Telephone: 440-246-6999 Fax: 440-246-4876
EmersonNetworkPower.com/OSP

© 2007 Emerson Network Power Energy Systems,
North America, Inc. All rights reserved.

The Emerson logo is a trademark and a service mark
of Emerson Electric Co. Emerson Network Power is a division
of Emerson Electric Co.

Printed in USA

